

Flat Bar

Width	Thickness	kg/m	m/tonne
10	3	0.241	4149.4
13	3	0.313	3194.9
13	5	0.468	2136.8
13	6	0.628	1593.4
16	3	0.386	2590.7
16	5	0.643	1555.2
16	8	1.030	970.9
20	3	0.483	2070.4
20	5	0.805	1242.2
20	6	0.966	1035.2
20	10	1.609	621.5
25	3	0.604	1655.6
25	5	1.006	994.0
25	6	1.207	828.5
25	8	1.609	621.5
25	10	2.012	497.0
25	12	2.414	414.3
32	3	0.772	1295.3
32	5	1.287	777.0
32	6	1.545	647.2
32	8	2.060	485.4
32	10	2.575	388.3
32	12	3.090	323.6
40	3	0.966	1035.2
40	5	1.609	621.5
40	6	1.931	517.9
40	8	2.575	388.3
40	10	3.219	310.7
40	12	3.862	258.9
40	16	5.150	194.2
40	20	6.437	155.4
50	3	1.207	828.5
50	5	2.012	497.0
50	6	2.414	414.3
50	8	3.219	310.7
50	10	4.023	248.6
50	12	4.828	207.1
50	16	6.437	155.4
50	20	8.046	124.3
50	25	10.058	99.4
65	3	1.568	637.6
65	5	2.615	382.4
65	6	3.138	318.7
65	8	4.184	239.0
65	10	5.230	191.2
65	12	6.276	159.3
65	16	8.368	119.5
65	20	10.460	95.6

Flat Bar

Width	Thickness	kg/m	m/tonne
75	5	3.017	331.5
75	6	3.621	276.2
75	8	4.828	207.1
75	10	6.035	165.7
75	12	7.242	138.1
75	16	9.656	103.6
75	20	12.069	82.9
75	25	15.087	66.3
75	40	24.139	41.4
90	6	4.345	230.1
90	8	5.793	172.6
90	10	7.242	138.1
90	12	8.690	115.1
100	5	4.023	248.6
100	6	4.828	207.1
100	8	6.437	155.4
100	10	8.046	124.3
100	12	9.656	103.6
100	16	12.874	77.7
100	20	16.093	62.1
100	25	20.116	49.7
100	50	40.231	24.9
110	6	5.180	193.1
110	8	7.081	141.2
110	10	8.851	113.0
110	12	10.621	94.2
130	5	5.230	191.2
130	6	6.276	159.3
130	8	8.368	119.5
130	10	10.460	95.6
130	12	12.552	79.7
130	16	16.736	59.8
130	20	20.920	47.8
130	25	26.150	38.2
150	5	6.035	165.7
150	6	7.242	138.1
150	8	9.656	103.6
150	10	12.069	82.9
150	12	14.483	69.0
150	16	19.311	51.8
150	20	24.139	41.4
150	25	30.173	33.1
150	50	60.346	16.6
180	6	8.690	115.1
180	10	14.483	69.0
180	12	17.380	57.5
180	16	23.173	43.2
180	20	28.967	34.5
180	25	36.208	27.6

Flat Bar

Width	Thickness	kg/m	m/tonne
200	6	9.656	103.6
200	8	12.874	77.7
200	10	16.093	62.1
200	12	19.311	51.8
200	16	25.748	38.8
200	20	32.185	31.1
200	25	40.231	24.9
250	6	12.069	82.9
250	8	16.093	62.1
250	10	20.116	49.7
250	12	24.139	41.4
250	16	32.185	31.1
250	20	40.231	24.9
250	25	50.289	19.9
300	6	14.483	69.0
300	8	19.311	51.8
300	10	24.139	41.4
300	12	28.967	34.5
300	16	38.622	25.9
300	20	48.278	20.7
300	25	60.347	16.6